

TYPE APPROVALS - APPROBATION



LASTING EXPRESSIONS

STENI Product

Product	Country	Certificate		Fire Classification
STENI Colour STENI Vision STENI Nature	Norway	SINTEF NBI 0011		B – s1, d0
		SINTEF TG 2165		B – s1, d0
	Sweden	SP Certifiering 0579/95 Tilverkningsställe: Steni AS, Steinsholt Norge		B – s1, d0, BBR 5:231. Yttervegg i byggnader kl. Br1, SP FIRE 105.
	France	QB 05-07		B – s1, d0
	United Kingdom	09/4662		B – s1, d0 (Class 0)
STENI Colour STENI Vision	Denmark	ETA MK 6.21/1250		B – s1, d0/ A-material
STENI Nature		ETA MK 6.21/0490		
STENI Colour STENI Vision	UAE USA Canada	Certificate TBW0300255.1 See www.tbwcert.com		B – s1, d0 according to EN 13501-1 Class A according to ASTM E84-16
	UAE USA	Certificate TBW0300303 See www.tbwcert.com		Fire propagation characteristics according to NFPA 285-2012
Steni Nature	USA Canada	According to ASTM E84-05		Class A
Fire properties controlled by; SP Fire Research.				
Technical Approval Norway controlled by; SINTEF.				
Technical Assessment in France controlled by; CSTB.				
ISO 9001 Certificate controlled by: Lloyd's Register LRQA				

STENI_AA000_NO_0518

STENI AS reserves the right to change product composition and specifications without prior notice. STENI AS accepts no liability for printing errors.